ठँगेण क्षात्र के केन्ट्रा बैंक Canara Bank

िं ೩०८३६६४० सिंडिकेट Syndicate

प्रधानकार्यालय : बेंगलुरु / Head Office : Bengaluru अधिप्राप्तिएवविक्रेताभुगतानअनुभाग - डिजिटलबैंकिंगसेवाशाखा

Maintenance of 50,000 number of Portable Sound Boxes for Extending Facility to Canara Bank BHIM QR Merchants under OPEX Model" Amendment / Addendum / Corrigendum-2 to the RFP-12/DBS/Sound Box/2022 Dated 13/07/2022 for "Supply, Installation and Procurement & Vendor Payments Section - Digital Banking Services Wing

GEM BID NO: GEM/2022/B/2344033

Canara Bank BHIM QR merchants under OPEX model, vide Tender Number GEM/2022/B/2344033 dated 13/07/2022. In reference to our Open Tender RFP-10 for Selection of Vendor for Supply, Installation and Maintenance of 50,000 number of sound boxes for

clarification for those queries has been provided. Kindly be guided by the clarification and changes to clauses. This is to inform that pre-bid meeting has been conducted on 21/07/2022, in which the following queries were raised by participants & the

Bidders to note that this is the final clarification provided by Bank and Bank will not be providing any further clarification. Any further clarification will be provided by Bank at the time of technical evaluation and discussions subsequently.

CIGI III	Tarion will be brokine	cidi il ication will be brovided by bank at the time of technical evaluation and appearance and appearance and a
No SI.	Clause Ref. No	Amendments
	Page No: 5	Existing Clause:
	Clause: Section C Point: 1.4	The delivery of Sound Boxes to merchant location shall be within Two (2) weeks from the date of acceptance of the Purchase Order. Please note that no extra charges will be paid for those locations where road permit is required. The selected bidder has to arrange for road permit, E-Way bill at his own cost. It will be the sole responsibility of the selected bidder to submit any form required for release of shipment from the check post.
		Revised Clause:
		The Integration of Bidder's solution with Bank's solution should be within FOUR (4) weeks from the date of acceptance of Purchase Order. The delivery of Sound Boxes to merchant location shall be within seven days for metro/urban/semi-urban areas and maximum upto Two (2) weeks (in case of rural, hilly, north-east and J&K areas) from the date of issuance of Indent post integration. Please note that no extra charges will be paid for those locations where road permit is required. The selected bidder has to arrange for road permit, E-Way bill at his own cost. It will be the sole responsibility of the selected bidder to submit any form required for release.
		of shipment from the check post.

र्हर्ने केनरा बैंक Canara Bank 🖘 ಭಾರತ ಸರ್ಕಾರದ ಒಂದು ಉದ್ಯ

ै ೩०८ ईस्धर्ण सिंडिकेट Syndicate

Procurement & Vendor Payments Section - Digital Banking Services Wing अधिप्राप्तिएवंविक्रेताभुगतानअनुभाग - डिजिटलबैंकिंगसेवाशाख प्रधानकार्यालय : बेंगलुरु / Head Office : Bengaluru

	No Sl.
Clause: Annexure 8	Clause Ref. No
them of malfunction in equipment to the time the bidder's engineer rectify the issue/replacement provided. However, penalty shall be applicable as per Uptime clause of Clause no 2.	Amendments

		1		
5.				No S
Page No: 55 Clause: Annexure		Point: 19	Clause: Annexure 8	ciause iver, ivo
Existing Clause: The annual depreciation rate shall be 33% per annum.	During Contract period, the bidder shall ensure Response Time of 12 hours for all the locations. The MTTR (Meantime to Restore) shall be 24 hours. Response time shall mean the interval from the receipt of first information (telephone call/e-mail or any other means of communication) from merchant to the bidder, informing them of malfunction in equipment to the time the bidder's engineer rectify the issue/replacement provided. However, penalty shall be calculated based on the monthly Downtime Report as per Annexure 25.	Revised Clause:	information (telephone call/e-mail or any other means of communication) from bank to the bidder, informing them of malfunction in equipment to the time the bidder's engineer rectify the issue/replacement provided. However, penalty shall be applicable as per Uptime clause of Clause no 2.	

8 Point: 30 Revised Clause:

The bidder shall replace the Sound Boxes wherever required, on account of normal wear and tear/Change in Engineering/Change in Software/Any other reason at their own Cost. However, Bank shall bear maximum of Bank's QR Merchant. Rs.1000/- / device, where replacement of Sound Box is attributable on account of Mishandling/Loss by the

Existing Clause:

6.

Page: 23

Point: 8.1 Clause: Section F Within 21 days from the date of acceptance of contract, selected bidder along with OEM shall sign a stamped the EMD liable for forfeiture at the discretion of the Bank and also rejection of the selected bidder. tripartite "Agreement" with the Bank at Bangalore as per the format. Failure to execute the agreement makes

ठॅगेण क्या का कार्य के तिया का कार्य के तिया है के तिया है के तिया है के तिया के कार्य के तिया के

ि ୬୦ಡಿಕೇಟ್ सिंडिकेट Syndicate

प्रधानकार्यालय : बेंगलुरु / Head Office : Bengaluru अधिप्राप्तिएवंविक्रेताभुगतानअनुभाग - डिजिटलबैंकिंगसेवाशाखा Procurement & Vendor Payments Section - Digital Banking Services Wing

REPLIES TO PREBID QUERIES

	∞	∞	Anne
			Annexure
	53	53	Page No
	Point No. 19	Point No. 19	RFP Clause
	Time of 12 hours for all the locations. The MTTR (Meantime to Restore) shall be 24 hours. Response time shall mean the interval from the receipt of first information (telephone call/e-mail or any other means of communication) from bank to the bidder, informing them of malfunction in equipment to the time the bidder's engineer rectify the issue/replacement provided. However, penalty shall be applicable as per Uptime clause of Clause no 2.	During Contract period, the bidder shall ensure Response Time of 12 hours for all the locations. The MTTR (Meantime to Restore) shall be 24 hours. Response time shall mean the interval from the receipt of first information (telephone call/e-mail or any other means of communication) from bank to the bidder, informing them of malfunction in equipment to the time the bidder's engineer rectify the issue/replacement provided. However, penalty shall be applicable as per Uptime clause of Clause no 2.	Clause/Technical Specification
	e to Restore to ed as 24 wor	Trust reaching out to the Merchant over a call would meet the requirement of Response time of 12 hours. Also request this to be considered as 12 working hours.	Suggestions
1 4 6 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	endun ange clause	Please refer corrigendum- 2. No change in 12 hours clause.	SKE

ठँगेण क्यार्क केनरा बैंक Canara Bank क

ि ೩०८३१६५ सिंडिकेट Syndicate

प्रधानकायोलय : बंगलुरु / Head Office : Bengaluru अधिप्राप्तिएवंविक्रेताभुगतानअनुभाग - डिजिटलबैंकिंगसेवाशाखा

		Flocal ellielle a vellagi i ayıllalıcı percion bişica banınış ber inces	G	
Annexure No	RFP Clause	Clause/Technical Specification	Bidder's Query / Suggestions	Bank's Reply
C. DELIVERABLE AND SERVICE LEVEL AGREEMENTS	1.8	Bank reserves the right to change/modify locations for supply of the items. In the event of any change/modification in the locations where the hardware items are to be delivered/not billed, the bidder in such cases shall deliver, install at the modified locations at no extra cost to the Bank. However, the Bank will provide new location for the delivery in which Bank staff will coordinate with the bidders to get the Hardware from the modified location for shifting to a new location within Two weeks of request from the Bank at no additional cost. The Warranty should be applicable	Please share use case for sending devices from one location. Also, this is not a feasible cost for the bidder to bear and factor into the Commercial bid.	It is like de- installing the device from one location and installing at another location.

Query

Generic

DELIVERABLE AND SERVICE

S

1.4

AGREEMENTS

shipment from the check post.

selected bidder has to arrange for road permit, E-Way bill at his own cost. It will be the sole responsibility of the selected bidder to submit any form required for release of

within Two (2) weeks from the date of acceptance of the Purchase Order. Please note that no extra charges will be

Merchant mentioned

here

is the location

corrigendum-2.

Please

merchant

Yes, it individual

merchant

location.

Please

clarify

individual location.

deployment of the solution

flow of provided

service to by Bidder

with successful

bidder,

be

Requisite details will be shared

Can Bank please explain the

The delivery of Sound Boxes to merchant location shall be

paid for those locations where road permit is required. The

ठॅलेण क्ष्मा के प्रति Canara Bank के भारत सरकार का उपक्रम

ि ೩०८४९धर्ग सिंडिकेट Syndicate

resolved, else, to be replaced.	devices.	technical specifications for a period of Five (5) years from the Date of Installation/commissioning.			AGREEMENTS
the problem	warranty cannot be provided for Sound box	maintenance or support for its proper operation, performance and output as specified in the tender			LEVEL
location/	service centre. Thus onsite	including Drums, updates, minor update of software,			VELIVERABLE
merchant	to be brought back to the	Comprehensive Onsite Warranty covering all parts			C.
visit	rectified on site. These have	software deployed for this project shall be under)
Bidder need	Hardware issues cannot be	The entire equipment's / hardware (including OS) &	7.1	9	
	requirement.				
	sufficient for meeting the				
	service, this should be		50		
	providing the device and the				india):
	We are an Indian company				(Make In
	content should be removed.				ers
	the requirement for local				Local
	India for Sound box. Thus				through
	are no manufacturers in				Procurement
	India and currently there				•
	to manufacture the same in				
stands.	imported as it is not feasible				
RFP	The sound box devices are		ω	37	
	the Bank.				
	the Tiers that is expected by				
	Service Resolution as per				
	and Service Response and				
	installation, de-installation				AGREEMENTS
	Please clarify the TATs for				LEVEL
	Suggestions		Clause	No.	Annexure
Bank's Reply	Bidder's Query /	Clause/Technical Specification	RFP	Page	T of

ठँगेण क्षानुक केन्द्रा बैंक Canara Bank के

ि ३०७ई९धर्ग सिंडिकेट Syndicate

प्रधानकार्यालय : बेंगलुरु / Head Office : Bengaluru अधिप्राप्तिएवंविक्रेताभुगतानअनुभाग - डिजिटलबैंकिंगसेवाशाखा

Procurement & Vendor Payments Section - Digital Banking Services Wing

A.BID SCHEDULE	Annexure 15	Annexure 14	GeM Portal	Annexure
JLE	ıre 15	ire 14	rtal	xure
	62	61		Page No
Point 10				RFP Clause
Last Date and Time for Submission of Bids - 27/07/2022, Wednesday, 03.00 PM	CERTIFICATE BY STATUTORY AUDITOR OF BIDDER TOWARDS MANDATORY MINIMUM LC	SELF CERTIFICATION OF THE BIDDER TOWARDS LOCAL CONTENT		Clause/Technical Specification
Request to be given at least 10 working days from the date of publishing of Pre-bid clarification to prepare the documents and the BG for Rid Submission		The same of the sa	The price bid to be submitted in the GeM Portal is a single value. Is it the total cost of the Integration Cost and the Total Rental cost that has to be added and quoted in the GeM portal?	Bidder's Query / Suggestions
portal regarding extension of timeline till 10/08/2022.	No Cha Bidder to co with RFP Te	with RFP	The RFP or self- explanate	Bank's Reply



ठॅनेक कार्ड कार्ड केन्स्र के जाता सामा मा उपमा Acommented Undertaking

ै ३०७ई९छ सिंडिकेट Syndicate

Annexure-6	Annexure-6	Annexure
12	26	Page No
50	52	RFP Clause
Any engineering changes/up gradations applicable to the hardware shall be communicated to the Bank by the bidder within a period of one month from the date of release/observation. It shall be supplied, installed and commissioned free of cost by the bidder. The bank reserves the right to procure the update/enhancement/system hardware upgrade.	The bidder shall maintain the sufficient stock at their end and the same to be delivered/configured/installed at merchant location within two weeks from the date of	Clause/Technical Specification
We Request the bank to define engineering changes as this is generic project term.	We request the bank to at least intimate the vendor 15 RFP days before the delivery and stands. quantity	Bidder's Query / Suggestions
Engineering Changes means hardware has become obsolete and not fit for working (both in terms of physical device and security aspect) which need to be replaced with the new generation/ upgraded model.	RFP Clause stands.	Bank's kepty



ठैंगेण क्ष्मा का अपना (क्षेत्र) Canara Bank

ి ೩೦ಡಿಕೇಟ್ सिंडिकेट Syndicate

Anne	<u>Defect</u> Liability	7. Wa	Ann
Annexure 8	ity	7. Warranty	Annexure
55	10	9	Page No
29 and 30	12		RFP Clause
In case of non-recovery of Terminals due to loss/physical damage/manhandling etc. or any other reasons, Bank shall reimburse the depreciated cost of the device. 30. The annual depreciation rate shall be 33% per annum.	In case any of the supplies and equipment delivered under the Contract are found to be defective as to material and workmanship and / or not in accordance with the requirement, and/or do not achieve the guaranteed performance as specified herein, within the warranty period of the contract, the selected Bidder shall forthwith replace/make good such defective supplies at no extra cost to the bank without prejudice to other remedies as may be available to the bank as per GeM bid terms	The entire equipment's / hardware (including OS) & software deployed for this project shall be under Comprehensive Onsite Warranty covering all parts including Drums, updates, minor update of software, maintenance or support for its proper operation, performance and output as specified in the tender technical specifications for a period of Five (5) years from the Date of Installation/commissioning.	Clause/Technical Specification
Annual Depreciation of 33% per annum in case of lost terminal needs to be reconsidered @ 20% as the bank is expecting a 5 yrs warranty.	This should be subject to a claim time of 30 days from device installation.	Warranty period of 5 years on sound box is not practical as the device is subject to wear and tear based on usage. Also the technology support for 5 years seems excessive	Bidder's Query / Suggestions
Please refer corrigendum-2.	RFP Clause stands.	No change. Bidder to comply RFP terms.	Bank's Reply

ठॅनेण क्या का प्राप्त के प्राप्त का अपना का अपना Agovernment of India Undertaking

ैं २०८ई धर्ण सिंडिकेट Syndicate

प्रधानकार्यालय : बेंगलुरु / Head Office : Bengaluru अधिप्राप्तिएवंविक्रेताभुगतानअनुभाग - डिजिटलबैंकिंगसेवाशाखा

Procurement & Vendor Payments Section - Digital Banking Services Wing

		Acces 1	Ollery	General					Ouerv	General			Ouerv	General			Ouerv	General				Query	General				Annexure No Clause Clause
																											Clause/Technical Specification
Time needed?	of Battery Pack & Backup	If Yes, then clarify the Type	required?	or battery backup is	Only Line powered system			any?	protect the secrete key, if	Guidelines / standards to		provided by bank?	hook-mapping will be	VPA to voice notification-		or not?	would be provided by bank	Production SDK and keys		through it?	triggered or acknowledged	tions w	system or financial	Is this is a notification			Suggestions
			as per the	battery backup		device should	The sound box	selected bidder.	be finalized with	_	The detailed	selected bidder.	be finalized with	modalities shall	The detailed	selected bidder.	discussed with	modality will be	The detail	bidder.	with selected		detail modality	system only. The	notification	It is a	bank's kepty

ठँगेण क्या का प्रमुद्ध Canara Bank क

ै २०८३ सिंडिकेट Syndicate

General Query	General Query	General Query	General Query	Annexure
				Page No
				RFP Clause
				Clause/Technical Specification
Following Timeline are requiredProduct Development Time allotted Supply and installation Time with Lot Size - 100% Quantum will be required in how much time?	Any Specific Dimensions/Design of the Sound Box?	Any Display & Operating Switches (like On/Off Button, Volume Up/Down Button) on Sound Box is needed or not?	If link is down then intermittent system may not It is practical provide notification. issue.	Bidder's Query / Suggestions
	Should be user- friendly and with market standard dimensions.	The detailed modalities shall be finalized with selected bidder.	It is practical issue.	Bank's Reply